

Platinized Titanium Electrode Wire

Platinized titanium anodes are manufactured with a titanium base structure, in the form of either plate, rod, wire, mesh or tube (or any shape as per request). A thin coating of platinum with at least 0.1 microns (with a 20 μ maximum) thick is maintained on anodes surface, made-ready for metal finishing at plating baths. These platinum coated anodes possess the electrochemical properties as platinum has and behaves like platinum metal.

Platinized metal anodes are widely recognized as a practical part for various applications including hard chrome plating, metal electroplating, electronics and semiconductor industry, chemical process engineering, electroplating, electrodialysis, electroforming (Conforming anodes), electrochemical sensing, electrowinning and metal refining, electrolytic regeneration of chromic acid, sodium hypochlorite production, Electrosynthesis of organic and inorganic chemicals and cathodic protection applications.

Office: +86(574)8388 2233


Dongxi, Xinqiao, Xiangshan
Ningbo 315725, P.R.China

info@yuxi-anode.com

www.yuxi-anode.com

APPLICATION

- ▶ Electroplating of precious metal
- ▶ Ionized water electrolysis
- ▶ HHO generator
- ▶ Horizontal/pulse plating
- ▶ Cathodic protection



FEATURES

- ▶ Excellent corrosion resistance and catalytic activity;
- ▶ Low hydrogen evolution potential, could be applied as both anode and cathode;
- ▶ Great current efficiency;
- ▶ Polarity reversible;
- ▶ Excellent coating adhesion;

SPECIFICATIONS

Electrode Substrate	Titanium ASTM B338-2017 Gr1/2
Coating Composition	Platinum
Working PH Environment	1-12
Fluoride Ion Tolerance	<50mg/L
Maximum Operation Voltage	24V
Maximum Operation Current Density	7500 A/m ²
Shape	Wire (customized)