

## **Concrete Test Station**

Measurement of potential between buried structure and a reference electrode is the most frequent test performed in operation of a cathodic protection system. Test station is a simple method to monitoring this potential in order to ensure that adequate current is supplied to buried metallic structures.

YUXI produce a range of test stations with numerous colors, shapes and test lead configurations, and they can be made from high impact strength molded plastic, cast iron and concrete as well. Most of the time, the test stations are installed in wild field. Therefore its reliability and maintenance is very critical to a complete cathodic protection system. Our test termination is composed of corrosion resistant nickel plated brass lugs to guarantee long term accurate reading, and all parts is easy to be removed with standard replacement.

Office: +86(574)8388 2233

Dongxi, Xinqiao, Xiangshan Ningbo 315725, P.R.China

info@yuxi-anode.com

www.yuxi-anode.com

## **FEATURES**



- Simple to install
- Low test cost
- Long service life
- High security
- Higher test quality
- More scalable for future enhancements
- Wide choice of accessories


## **GENERAL SPECIFICATION**


Material	Cast Iron, Sheet Steel, Concrete, Molded Plastic
Number of Terminals	5-10 nos
Conduit	1500-2000mm
Color	Black, Orange, Blue, Gray
Locking Device	Available on Cast Ion and Concrete Type
Identification	Tag Plates and Name Plate Supplied with SS316L with Screw Sets
Ambiant Temperature	Up to 55 Degree Centigrade
Climate	Onshore Corrosive Environment
Humidity	95% at 43 Degree Centigrade
Documentation	Drawing, Certificate of Conformity Factory Acceptance Report

## **CONCRETE TEST STATION**



Height	1400mm
Width	500mm
Terminal	Up to 10 nos
Color	Light Gray
Door Locker	Available





DETAIL A