



IrO₂-Ta₂O₅ Coated Titanium Electrode Mesh

Iridium tantalum oxide coated are considered optimum choice as anodes in various industries for its strong corrosion resistance in acid environment, low overpotential for oxygen evolution, great physical stability and its environmental safety. Compared with traditional electrodes, Ir-Ta MMO electrodes presence better electrochemical stability under sulfate/chloride environment and longer service life.

Accumulated decades of coated titanium electrode technology, YUXI kept providing our clients with high quality Ir-Ta MMO electrode regarding multiple oxygen-evolution systems. YUXI electrodes have been applied to industries like copper foil production, electroplating, cathodic protection, organic synthesis, acid solution electrolysis, electrowinning, etc.

Office: +86(574)8388 2233


Dongxi, Xinqiao, Xiangshan
Ningbo 315725, P.R.China

info@yuxi-anode.com

www.yuxi-anode.com

APPLICATION

- ▶ Cathodic Protection
- ▶ Waste Water Treatment
- ▶ Copper Electrowinning
- ▶ Organic Synthesis
- ▶ Metal Surface Treatment
- ▶ Electrodialysis



FEATURES

- ▶ Highly stable even under acid environment;
- ▶ Great current efficiency;
- ▶ Low overpotential for oxygen evolution;
- ▶ Long service life expectancy;
- ▶ Reusable substrate;

SPECIFICATIONS

Electrode Substrate	Titanium ASTM B338-2017 Gr1/2
Coating Composition	IrO ₂ , Ta ₂ O ₅
Working Temperature	<60°C
Working PH Environment	1-12
Current Capacity	<12000 A/m ²
Shape & Size	Customized